



ULTRASUN
RECHARGE YOURSELF

E5

2024



Product Leaflet

LAMP SPECIFICATIONS

NON-EU | UV4

Total Lamps	30 x Sunfit RXL 120W E-Tronic 190 cm or 30 x Sunfit XL 180W E-Tronic 190 cm
Maximum exposure time	15 minutes

EU | UV3

Total Lamps	30 x Sunfit XL3 120W DUO 190 cm or 30 x Sunfit XL3 180W E-Tronic 190 cm
Maximum exposure time	20 minutes

STANDARD FEATURES



Electronic Ballasts



Solar Control



TopCooler

TECHNICAL SPECIFICATIONS

E5 120W

Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable	16A CEE 5 x 2,5 mm ²
Power	4.000W
Breaker/fuse (slow)	3 x 16A
Minimum net weight ¹	175 kg
Minimum crated weight ¹	215 kg
Boxed dimensions	227 x 114 x 120 cm

E5 180W

Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable	16A CEE 5 x 2,5 mm ²
Power	5.900W
Breaker/fuse (slow)	3 x 16A
Minimum net weight ¹	180 kg
Minimum crated weight ¹	220 kg
Boxed dimensions	227 x 114 x 120 cm

ADDITIONAL FEATURES



Bluetooth



Handles



Changing Cubicle



PayTronic

AVAILABLE COLORS



Dream White Metallic



Fancy Red Metallic



DIMENSIONS LxWxH

Open E5:	159 x 134 x 227 cm
Closed E5:	117 x 119 x 227 cm
Internal space E5 :	78 x 83 x 206 cm

¹ Minimum weight is based on an Ultrasun E5 with standard configuration. Machine specific weight information available on request.

* When placing the Ultrasun E5 make sure that the device is surrounded by 10-15 centimetres of free space for air circulation.
* The dimensions indicate an open Ultrasun E5.



+31 (0)74 2912215



info@ultrasuninternational.com



UltrasunInternational.com



Granatstraat 6
7554 TR Hengelo
The Netherlands