




ULTRASUN
RECHARGE YOURSELF

Q18

2024



Product Leaflet

LAMP SPECIFICATIONS

Q18 MAGNUM POWER NON-EU | UV4

Top Lamps	25 x Sunfit VRX 160W E-Tronic 176 cm
Base Lamps	20 x Sunfit VX 180W E-Tronic 190 cm
Facial Lamps	4 x Sunfit WL 500W High-Pressure
Shoulder lamps	6 x Sunfit S 25W
Maximum exposure time	15 minutes

EU | UV3

Top Lamps	25 x Sunfit VRX3 160W E-Tronic 176 cm
Base Lamps	20 x Sunfit VX3 180W E-Tronic 190 cm
Facial Lamps	4 x Sunfit WL 500W High-Pressure
Shoulder lamps	6 x Sunfit S 25W
Maximum exposure time	20 minutes

Q18 HIGH POWER NON-EU | UV4

Top Lamps	25 x Sunfit RXL 120W E-Tronic 190 cm
Base Lamps	20 x Sunfit XL 120W E-Tronic 190 cm
Facial Lamps	-
Shoulder lamps	6 x Sunfit S 25W
Maximum exposure time	15 minutes

EU | UV3

Top Lamps	25 x Sunfit RXL3 120W E-Tronic 190 cm
Base Lamps	20 x Sunfit XL3 120W E-Tronic 190 cm
Facial Lamps	-
Shoulder lamps	6 x Sunfit S 25W
Maximum exposure time	20 minutes

TECHNICAL SPECIFICATIONS

Q18 MAGNUM POWER

Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable	32A CEE 5 x 4 mm ²
Power	11.400W
Breaker/fuse (slow)	3 x 25A
Minimum net weight ¹	450kg
Minimum crated weight ¹	495 kg
Boxed dimensions	235 x 141 x 172 cm

Q18 HIGH POWER


Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable	16A CEE 5 x 2,5 mm ²
Power	8.500W
Breaker/fuse (slow)	3 x 16A
Minimum net weight ¹	420 kg
Minimum crated weight ¹	470 kg
Boxed dimensions	235 x 141 x 172 cm

¹ Minimum weight is based on an Ultrasun Q18 with standard configuration. Machine specific weight information available on request.


STANDARD FEATURES




ADDITIONAL FEATURES



AVAILABLE COLORS




**Dream White
Metallic**



DIMENSIONS LxWxH

Open Q18:	247 x 148 x 165 cm
Closed Q18:	247 x 123 x 135 cm

* When placing the Ultrasun Q18 make sure that the device is surrounded by 10-15 centimetres of free space for air circulation.
* The dimensions indicate an open Ultrasun Q18.



+31 (0)74 2912215



info@ultrasuninternational.com



UltrasunInternational.com



Granaatstraat 6
7554 TR Hengelo
The Netherlands