



ULTRASUN  
RECHARGE YOURSELF

i8

2024



Product Leaflet

## LAMP SPECIFICATIONS

### NON-EU | UV4

Total Lamps	48 x Sunfit XXL 200W E-Tronic   200 cm
Maximum exposure time	12 minutes


### EU | UV3

Total Lamps	48 x Sunfit XXL3 200W E-Tronic   200 cm
Maximum exposure time	20 minutes

## TECHNICAL SPECIFICATIONS


Power supply	3 x 400V + N + PE   50/60 Hz
Plug and cable (+airco)	32A CEE 5 x 4 mm (32A CEE 5 x 4 mm <sup>2</sup> )
Power (+airco)	9,400W (10,400W)
Breaker/fuse (slow) (+airco)	3 x 25A (3 x 25A)
Minimum net weight <sup>1</sup> (+airco)	250 kg (290 kg)
Minimum crated weight <sup>1</sup> (+airco)	290 kg (290 + 90 kg)
Boxed dimensions (+airco)	227 x 114 x 130 cm (+ 120 x 80 x 90 cm)

## AVAILABLE COLORS




**Dream White Metallic**   **Xtreme Orange Metallic**

## STANDARD FEATURES



## ADDITIONAL FEATURES




## DIMENSIONS LxWxH

Open i8:	178 x 135 x 224 cm
Closed i8:	133 x 125 x 224 cm
Open i8 + airco:	218 x 135 x 237 cm
Closed i8 + airco:	172 x 125 x 237 cm
Internal space i8:	82 x 78 x 199 cm

<sup>1</sup> Minimum weight is based on an Ultrason i8 with standard configuration. Machine specific weight information available on request.

\* When placing the Ultrason i8 make sure that the device is surrounded by 10-15 centimetres of free space for air circulation.  
\* The dimensions indicate an open Ultrason i8.





+31 (0)74 2912215



info@ultrasuninternational.com



UltrasunInternational.com



Granatstraat 6  
7554 TR Hengelo  
The Netherlands