



ULTRASUN  
RECHARGE YOURSELF

i9

2024



VibraPlate

Product Leaflet

## LAMP SPECIFICATIONS

### NON-EU | UV4

Total Lamps	64 x Sunfit XXL 200W E-Tronic   200 cm
Maximum exposure time	12 minutes


### EU | UV3

Total Lamps	64 x Sunfit XXL3 200W E-Tronic   200 cm
Maximum exposure time	20 minutes

## TECHNICAL SPECIFICATIONS

Power supply	3 x 400V + N + PE   50/60 Hz
Plug and cable	32A CEE 5 x 4 mm <sup>2</sup>
Power (+airco)	12.400W (13.400W)
Breaker/fuse (slow) (+airco)	3 x 25A (3 x 35A)
Minimum net weight <sup>1</sup> (+airco)	290 kg (350 kg)
Minimum crated weight <sup>1</sup> (+airco)	335 kg (335 + 90 kg)
Boxed dimensions (+airco)	227 x 114 x 156 cm (+ 120 x 80 x 90 cm)

## AVAILABLE COLORS



**Dream White Metallic**   **Xtreme Orange Metallic**

## STANDARD FEATURES



Age Control



Air Extraction Hose



Bluetooth



Electronic Ballasts



Handles



IQ Touch Control



Music Pro



Rainbow Manager



TopCooler



Vibraplate



Voice Guide



Wellness Sound

## ADDITIONAL FEATURES



Breeze



Aroma



Airco



Changing Cubicle




PayTronic

227 cm

176 cm

162 cm




## DIMENSIONS LxWxH

Open i9:	176 x 162 x 227 cm
Closed i9:	145 x 143 x 227 cm
Open i9 + airco:	176 x 203 x 237 cm
Closed i9 + airco:	183 x 145 x 237 cm
Internal space i9:	113 x 103 x 199 cm

\* When placing the Ultrason i9 make sure that the device is surrounded by 10-15 centimetres of free space for air circulation.  
\* The dimensions indicate an open Ultrason i9.

<sup>1</sup> Minimum weight is based on an Ultrason i9 with standard configuration. Machine specific weight information available on request.





+31 (0)74 2912215



info@ultrasuninternational.com



UltrasunInternational.com



Granatstraat 6  
7554 TR Hengelo  
The Netherlands